




Create a Personalized CDC Immunization Schedule For Your Baby

Provide the information below to generate a schedule showing all CDC-recommended vaccination dates. This schedule can be printed out and shows when your baby is due for future vaccinations. A place is also included where the date of vaccination can be filled in.

Baby's name (optional)

Upload a photo (optional) 

Has mother received an RSV vaccine during pregnancy? ▼

Select baby's birth date ▼

Personalize Now

Photo, name, immunization information, and date of birth will not be saved or stored.

This immunization schedule is based on the 2024 Childhood and Adolescent Immunization Schedule recommended by the Advisory Committee on Immunization Practices (ACIP). This schedule provides generally recommended dates for immunizations based on your child's birth date. Your child's immunization history, medical history, health status, or travel outside the United States can affect these dates and the vaccines your child needs. If you have questions or concerns, consult your child's healthcare professional for advice about your child's immunization schedule. This is not an official immunization record. Ask your child's healthcare provider for a record of the vaccines your child has received.















The health information contained in this site is provided for educational purposes only and is not intended to replace discussion with a healthcare provider. All decisions regarding patient care must be made with a healthcare provider, considering the unique characteristics of the patient. This site is intended only for U.S. residents.

PP-PNR-USA-2236-01 ©2024 Pfizer Inc. All rights reserved. May 2024
Please read our privacy policy and terms of use.

FOR PARENTS: CDC-RECOMMENDED IMMUNIZATIONS FOR CHILDREN FROM BIRTH THROUGH 6 YEARS OLD BASED ON 2024 CDC SCHEDULE

Child's Name

- The top row next to each vaccine provides the CDC-recommended vaccination age range (and corresponding dates) for each dose based on your child's birth date
- Fill in the bottom row with the date of your child's actual vaccination so you have a record
- Be sure to talk with your doctor about the timing of all vaccinations and what to do if your baby has missed one or more vaccinations
- The calculation of vaccination dates follows the CDC Childhood Immunization Schedule

 VACCINE	 BIRTH	 1 MONTH	 2 MONTHS	 4 MONTHS	 6 MONTHS	 12 MONTHS	 15 MONTHS	 18 MONTHS	 19-23 MONTHS	 2-3 YEARS	 4-6 YEARS	
Respiratory Syncytial Virus* (RSV)	Baby does not need RSV immunization based on mother's vaccination status.					03/06/2025 - 10/31/2025						
Hepatitis B (HepB)	03/04/2024	04/03/2024 - 05/03/2024			08/31/2024 - 08/31/2025							
Rotavirus (RV) Confirm schedule with doctor			05/03/2024	07/02/2024	08/31/2024							
Diphtheria, tetanus, & acellular pertussis (DTaP)			05/03/2024	07/02/2024	08/31/2024		06/02/2025 - 08/31/2025				03/03/2028 - 03/03/2030	
Haemophilus influenzae type b (Hib)			05/03/2024	07/02/2024	08/31/2024	03/04/2025 - 06/02/2025						
PCV			05/03/2024	07/02/2024	08/31/2024	03/04/2025 - 06/02/2025						
Inactivated poliovirus (IPV)			05/03/2024	07/02/2024	08/31/2024 - 08/31/2025						03/03/2028 - 03/03/2030	
COVID-19*					09/04/2024 or later							
Influenza* (IIV)					09/04/2024 or later							
					10/02/2024 or later, and one dose yearly thereafter							
Measles, mumps, rubella (MMR)						03/04/2025 - 06/02/2025					03/03/2028 - 03/03/2030	
Varicella (VAR)						03/04/2025 - 06/02/2025					03/03/2028 - 03/03/2030	
Hepatitis A* (HepA)						03/04/2025 - 03/02/2026			08/31/2025 or later			

Note: If your child misses a shot, you don't need to start over, just go back to your child's doctor for the next shot. Talk with your child's doctor if you have questions about vaccines.

*One dose of RSV immunization is recommended for babies less than 8 months of age during their first RSV season. Dependent on maternal RSV vaccination status. Certain eligible high-risk children 8-19 months of age may receive a dose during their second RSV season.

†Number of doses recommended depends on your child's age and type of COVID-19 vaccine used.

If your child has any medical conditions that put him or her at risk for infection or is traveling outside the United States, talk to your child's doctor about additional vaccines that he or she may need.

For more information, talk to your doctor or visit <http://www.cdc.gov/vaccines>

This content was adapted by Pfizer from the CDC's 2024 childhood immunization schedule.

‡Two doses given at least four weeks apart are recommended for children aged 6 months through 8 years of age who are getting an influenza (flu) vaccine for the first time and for some other children in this age group.

§Two doses of HepA vaccine are needed for lasting protection. The first dose of HepA vaccine should be given between 12 months and 23 months of age. The second dose should be given 6 months after the first dose. All children and adolescents over 24 months of age who have not been vaccinated should also receive 2 doses of HepA vaccine.

KEY

ALL children should be immunized at this age.













SOME children should get this dose of vaccine or preventive antibody at this age.



FOR PARENTS: CDC-RECOMMENDED IMMUNIZATIONS FOR CHILDREN FROM BIRTH THROUGH 6 YEARS OLD BASED ON 2024 CDC SCHEDULE

Child's Name

- The top row next to each vaccine provides the CDC-recommended vaccination age range (and corresponding dates) for each dose based on your child's birth date
- Fill in the bottom row with the date of your child's actual vaccination so you have a record
- Be sure to talk with your doctor about the timing of all vaccinations and what to do if your baby has missed one or more vaccinations
- The calculation of vaccination dates follows the CDC Childhood Immunization Schedule

 VACCINE	 BIRTH	 1 MONTH	 2 MONTHS	 4 MONTHS	 6 MONTHS	 12 MONTHS	 15 MONTHS	 18 MONTHS	 19-23 MONTHS	 2-3 YEARS	 4-6 YEARS	
Respiratory Syncytial Virus* (RSV)	03/06/2024 - 08/31/2024					03/06/2025 - 10/31/2025						
Hepatitis B (HepB)	03/04/2024	04/03/2024 - 05/03/2024			08/31/2024 - 08/31/2025							
Rotavirus (RV) Confirm schedule with doctor			05/03/2024	07/02/2024	08/31/2024							
Diphtheria, tetanus, & acellular pertussis (DTaP)			05/03/2024	07/02/2024	08/31/2024		06/02/2025 - 08/31/2025				03/03/2028 - 03/03/2030	
Haemophilus influenzae type b (Hib)			05/03/2024	07/02/2024	08/31/2024	03/04/2025 - 06/02/2025						
PCV			05/03/2024	07/02/2024	08/31/2024	03/04/2025 - 06/02/2025						
Inactivated poliovirus (IPV)			05/03/2024	07/02/2024	08/31/2024 - 08/31/2025						03/03/2028 - 03/03/2030	
COVID-19*					09/04/2024 or later							
Influenza* (IIV)					09/04/2024 or later							
					10/02/2024 or later, and one dose yearly thereafter							
Measles, mumps, rubella (MMR)						03/04/2025 - 06/02/2025					03/03/2028 - 03/03/2030	
Varicella (VAR)						03/04/2025 - 06/02/2025					03/03/2028 - 03/03/2030	
Hepatitis A* (HepA)						03/04/2025 - 03/02/2026			08/31/2025 or later			

Note: If your child misses a shot, you don't need to start over, just go back to your child's doctor for the next shot. Talk with your child's doctor if you have questions about vaccines.

*One dose of RSV immunization is recommended for babies less than 8 months of age during their first RSV season. Dependent on maternal RSV vaccination status. Certain eligible high-risk children 8-19 months of age may receive a dose during their second RSV season.

†Number of doses recommended depends on your child's age and type of COVID-19 vaccine used.

If your child has any medical conditions that put him or her at risk for infection or is traveling outside the United States, talk to your child's doctor about additional vaccines that he or she may need.

For more information, talk to your doctor or visit <http://www.cdc.gov/vaccines>

This content was adapted by Pfizer from the CDC's 2024 childhood immunization schedule.

‡Two doses given at least four weeks apart are recommended for children aged 6 months through 8 years of age who are getting an influenza (flu) vaccine for the first time and for some other children in this age group.

§Two doses of HepA vaccine are needed for lasting protection. The first dose of HepA vaccine should be given between 12 months and 23 months of age. The second dose should be given 6 months after the first dose. All children and adolescents over 24 months of age who have not been vaccinated should also receive 2 doses of HepA vaccine.

KEY

ALL children should be immunized at this age.

SOME children should get this dose of vaccine or preventive antibody at this age.

